



DOGS TRUST LIST OF POISONOUS PLANTS, GARDEN AND HOUSEHOLD SUBSTANCES

Poisonous Substances and Food Dangers

Dog owners should always contact their vet for information and advice regarding any potentially hazardous substances, including human medicines that their dog has come into contact with. Veterinary practices have access to a 24 hour Veterinary Poisons Information Service.

Never purposely make your dog sick unless your vet advises you to do so.

Some examples of poisonous substances include:

Antifreeze poisoning

Antifreeze, screen-wash and some de-icers may contain Ethylene glycol – a substance fatal to dogs and cats. Antifreeze is available as a liquid to be added to the water in your car engine radiators to prevent freezing. Even small quantities spilt can be life threatening.

It is sweet tasting and attractive to dogs and cats, but is fatal to them so do be sure to keep such items out of your pet's reach and mop up any spillages straight away. Dispose of old cartons carefully, and ensure you keep your pet out of the garage-especially a new puppy that will investigate any new scent.

Signs such as staggering movements; tiredness; increased heart rate; continuous vomiting, or dehydration may suggest that your furry friend has ingested this poisonous substance. Unless your dog is taken to the vet's promptly after ingestion and given intensive treatment, recovery may be poor!

Chocolate and other 'human' foods

Chocolate meant for human consumption contains theobromine which can be lethal – the darker the chocolate the higher amounts of theobromine. Toxic doses vary according to the size of dog and cocoa solid content of the chocolate. Do contact your vets immediately if you suspect your dog has eaten chocolate intended for human consumption – especially if you see any of the following symptoms; vomiting, a sore abdomen, excessive thirst, excitability, drooling, slow heart rate or convulsions.

Raisins and grapes can also be lethally toxic.

Small bones such as those from turkey and chicken are obviously not toxic, but should not be given to dogs because of the risk of become lodged in the dog's throat or splintering (particularly if cooked), potentially perforating the intestinal tract.

Onions can cause anaemia, so should not be fed to your dog in any form.

Xylitol, a sweetener commonly found in sugar-free foods, has recently been found to be toxic to dogs.

Human Medicines

As a general rule you should assume that any human medicine is likely to be toxic to dogs, as very many of them are. **Paracetamol** is particularly dangerous as it can lead to death, or permanent kidney and liver damage which may require life long medical treatment.

Even if the active substance within a human medicine is appropriate for a dog, the dose is likely to be very different for a dog. Medical dose rates vary between individual dogs due to their size, breed and metabolic rate – just as with humans.

The golden rule is never dose your dog with any medicine that is not designed to be given to a dog and if you are ever in any doubt ask your vet whether it is safe. And of course, keep all human medicines safely out of your pet's reach.

Poisonous plants

Important information– please read:

Dogs Trust assumes no liability for the content of the following list. This does not represent a complete list of all poisonous plants and is only intended as a guide. Please contact your veterinary surgeon for advice or treatment immediately if you think your pet has eaten any of the following plants and is showing a bad reaction. Your pet may also have a sensitivity or allergy to a plant that is not on the list, so always be vigilant and seek help if you are worried about your pet's health.

Common name	Botanical name	Details (if known)
Aconite (roots, foliage, seeds)	<i>Aconitum species</i>	Toxic if eaten, causing nausea and vomiting. May also affect cardiac function – increased heart rate.
African violet (leaves)	<i>Saintpaulia ionantha</i>	
Aloe vera	<i>Aloe vera</i>	Diarrhoea
Amaryllis (bulbs)	<i>Hippeastrum species</i>	Upset stomach, hyperactivity, lethargy, coma, shock. Can be fatal.
Angels' trumpets	<i>Brugmansia species</i>	Toxic if eaten, causing nausea and vomiting.
Angel wings	<i>Caladium species</i>	Upset stomach, oral irritation, asphyxiation, tremors, seizures, loss of balance. Can be fatal.
Apple (seeds)	<i>Malus species</i>	Seeds contain cyanide. Varied toxic effects.
Apple leaf croton		
Apricot (kernels)	<i>Prunus armeniaca</i>	Kernels contain cyanide. Can be fatal.
Arborvitae	<i>Thuja species</i>	Harmful if eaten in quantity. May cause a skin allergy.
Arrow grasses (leaves)	<i>Triglochin species</i>	
Asparagus fern	<i>Asparagus setaceus</i>	Contains a wide variety of poisons resulting in a large range of symptoms.
Autumn crocus	<i>Crocus speciosus</i>	Vomiting, nervous excitement. May cause dermatitis.
Avocado (fruit & pith)	<i>Persea americana</i>	Diarrhoea, vomiting, laboured breathing. Can be fatal.
Azalea (all parts)	<i>Rhododendron occidentale</i>	Nausea, vomiting, depression, difficulty breathing and coma. Can be fatal if eaten in large enough

		quantities.
Baby's breath	<i>Gypsophila paniculata</i>	
Barilla (leaves & stems)	<i>Salsola soda</i>	
Bird of paradise (seeds)	<i>Strelitzia reginae</i>	Gastrointestinal tract affected by the plant toxins.
Bittersweet	<i>Celastrus angulatus</i>	Toxic if eaten, causing nausea and vomiting.
Bleeding heart (foliage, roots)	<i>Dicentra formosa</i>	Poisonous in large amounts, contains convulsants. May also cause dermatitis.
Bluebell	<i>Hyacinthoides</i>	Harmful if eaten in quantity.
Box (leaves)	<i>Buxus sempervirens</i>	
Boxwood (leaves, twigs)	<i>Hebe odora</i>	Upset stomach, heart failure, excitability or lethargy. May also cause dermatitis.
Bracken	<i>Pteridium aquilinum</i>	Thiamine deficiency, acute haemorrhagic syndrome, blindness, tumours
Broom	<i>Cytisus species</i>	
Buckeyes (nuts & immature growths)	<i>Aesculus species</i>	Harmful if eaten in quantity.
Burning bush	<i>Kochia scoparia</i>	Toxic if eaten, causing nausea and vomiting. May cause a skin allergy.
Buttercup	<i>Ranunculus species</i>	Juice may severely injure digestive system. May also cause dermatitis.
Caladium	<i>Caladium species</i>	
Calico bush	<i>Kalmia species</i>	Harmful if eaten in quantity.
Calla lily (leaves)	<i>Zantedeschia species</i>	(as above)
Caper Spurge	<i>Euphorbia lathyris</i>	
Cardinal flower	<i>Lobelia cardinalis</i>	
Castor bean (leaves and seeds)	<i>Ricinus communis</i>	May cause dermatitis. A single Rosary Pea or one/two Castor bean seeds can be fatal .
Ceriman	<i>Monstera deliciosa</i>	Causes diarrhoea and oral irritation if eaten. May cause dermatitis.
Chenille Plant	<i>Acalypha hispida</i>	
Cherry (kernels)	<i>Prunus species</i>	Kernels contain cyanide.
Cherry laurel	<i>Prunus laurocerasus</i>	Harmful if eaten in quantity.
China Berry	<i>Melia azedarach</i>	
Chinese evergreen	<i>Aglaonema</i>	
Christmas rose (leaves, roots)	<i>Helleborus niger</i>	Harmful if eaten in quantity.
Chrysanthemum (leaves & stems)	<i>Chrysanthemum species</i>	May cause dermatitis.
Cineraria	<i>Senecio species</i>	
Clematis	<i>Clematis armandii</i>	Gastrointestinal tract and nervous system affected by plant toxins. May cause dermatitis.
Cocoa husks or mulch		Similar toxic effects to that of chocolate – hyperactivity, increased heart rate. Can kill if enough is eaten.

Corn cockle (seeds)	<i>Agrostemma species</i>	Harmful if eaten in quantity.
Corn plant	<i>Dracaena species</i>	
Crocus	<i>Anemone species</i> <i>Colchicum autumnale</i>	
Croton	<i>Codiaeum species</i>	
Crown vetch	<i>Coronilla varia</i>	
Cuckoo pint	<i>Arum maculatum</i>	Toxic if eaten, causing nausea and vomiting. May cause a skin allergy.
Crowfoot	<i>Anunculus species</i>	
Cycads	<i>Encephalartos species</i>	
Cyclamen	<i>Cyclamen species</i>	Gastrointestinal tract affected. Convulsions and paralysis.
Daffodil (bulbs)	<i>Narcissus species</i>	Nausea, vomiting, diarrhoea. May also cause dermatitis. Can be fatal.
Daphne	<i>Daphne species</i>	Gastrointestinal tract and kidneys affected. May cause dermatitis.
Datura	<i>Brugmansia species</i>	
Deadly nightshade	<i>Atropa belladonna</i>	Toxic if eaten, causing nausea and vomiting.
<i>Delphinium</i> (seeds, young plants)	<i>Delphinium species</i>	Harmful if eaten in quantity.
Devil's fig	<i>Solanum hispidum</i>	Harmful if eaten in quantity.
Dieffenbachia	<i>Dieffenbachia species</i>	Causes diarrhea and oral irritation if eaten. May cause dermatitis. Tremors, seizures, loss of balance, asphyxiation. Can be fatal.
Dragon tree	<i>Dracaena species</i>	Vomiting and diarrhoea.
Dumb cane	<i>Dieffenbachia amaena</i>	Causes diarrhoea and oral irritation if eaten. May cause dermatitis. Tremors, seizures, loss of balance, asphyxiation. Can be fatal.
Dwarf morning glory	<i>Convolvulus tricolor</i>	Harmful if eaten in quantity.
Easter lily	<i>Lilium longiflorum</i>	(Especially poisonous to cats).
<i>Echium</i>	<i>Echium species</i>	Harmful if eaten in quantity. May cause a skin allergy.
Elder (leaves, root, bark)	<i>Sambucus species</i>	
Elderberry	<i>Sambucus canadensis</i>	Nausea and vomiting.
Elephant ears	<i>Bergenia species</i>	Intense burning, irritation and swelling of the mouth and throat. If tongue swells enough to block air passage can be fatal.
English ivy (berries & leaves)	<i>Hedera helix</i>	Gastrointestinal tract affected. May cause dermatitis.

European spindle	<i>Euonymus europaeus</i>	Harmful if eaten in quantity.
False hellebore (roots, seeds, leaves)	<i>Veratrum album</i>	Toxic if eaten, causing nausea and vomiting.
Flannel flower	<i>Phyllis plumosa</i>	Harmful if eaten in quantity.
Flax	<i>Linum usitatissimum</i>	Harmful if eaten in quantity.
Foxglove (leaves, seeds)	<i>Digitalis species</i>	Toxic if eaten, causing nausea and vomiting.
Fritillary	<i>Fritillaria species</i>	
Fruit salad plant	<i>Monstera deliciosa</i>	Causes diarrhoea and oral irritation if eaten. May cause dermatitis.
<i>Gaultheria</i>	<i>Gaultheria mucronata</i>	Harmful if eaten in quantity.
Geranium	<i>Geranium species</i>	
German ivy (berries & leaves)	<i>Delairea odorata</i>	Gastrointestinal tract affected. May cause dermatitis.
German primula		Toxic if eaten. May cause skin allergy.
Glory lily	<i>Gloriosa superba</i>	Toxic if eaten, causing nausea and vomiting.
Golden chain (seed capsules)	<i>Laburnum</i>	Toxic if eaten, causing nausea and vomiting.
Granny's bonnets	<i>Aquilegia vulgaris</i>	Harmful if eaten in quantity.
Heavenly bamboo	<i>Nandina domestica</i>	
Hellebores	<i>Helleborus species</i>	
Heliotrope	<i>Heliotropium arborescens</i>	
Hemlock	<i>Tsuga species</i>	
Henbane	<i>Hyoscyamus niger</i>	Toxic if eaten, causing nausea and vomiting.
Hibiscus	<i>Hibiscus species</i>	
Holly (berries)	<i>Ilex species</i>	Upset stomach, tremors, seizures, loss of balance.
Horse chestnut (nuts, leaves)	<i>Aesculus hippocastanum</i>	Harmful if eaten in quantity.
Hurricane plant (bulb)	<i>Monstera deliciosa</i>	Varied toxic effects. Causes diarrhoea and oral irritation if eaten. May cause dermatitis.
Hyacinth (bulbs)	<i>Hyacinthus orientalis</i>	Harmful if eaten in quantity. May cause a skin allergy.
Hydrangea	<i>Hydrangea species</i>	
Iris (roots)	<i>Iris species</i>	Severe digestive upset. May cause dermatitis.
Ivy (entire plant)	<i>Hedera helix</i>	Harmful if eaten in quantity.
Jack in the pulpit	<i>Arisaema species</i>	Causes burning to the mouth. Can cause hallucinations.
Japanese spindle	<i>Euonymus sieboldianus</i>	Harmful if eaten in quantity.
Japanese yew	<i>Taxus species</i>	
Jessamine (berries & sap)	<i>Cestrum species</i>	Digestive disturbance. Gastrointestinal tract and nervous system affected. Can be fatal.
Jerusalem Cherry	<i>Solanum</i>	Gastrointestinal tract affected. May cause

(immature growths)	<i>pseudocapsicum</i>	dermatitis.
Jimson weed (Thorn Apple)	<i>Datura stramonium</i>	Abnormal thirst, distorted sight, delirium, incoherence, coma. Can be fatal.
Jonquil (bulb)	<i>Narcissus species</i>	
Juniper	<i>Juniperus species</i>	
Kalanchoe	<i>Kalanchoe species</i>	Depression, rapid breathing, teeth grinding, ataxia, paralysis
Kale	<i>Brassica oleracea</i>	Haemolytic anaemia, goitre, possible reduced fertility
Kingcup	<i>Caltha palustris</i>	Harmful if eaten in quantity.
Laburnum (leaves, seeds)	<i>Laburnum anagyroides</i>	Toxic if eaten, causing nausea and vomiting.
Lantana	<i>Lantana camara</i>	Toxic if eaten, causing nausea and vomiting.
Larkspur (young plants & seeds)	<i>Delphinium species</i>	Digestive upset, nervousness, depression. Cardiovascular system affected. May cause dermatitis. Can be fatal.
Laurel	<i>Prunus species</i>	Harmful if eaten in quantity.
Lenton rose	<i>Helleborus orientalis</i>	Harmful if eaten in quantity.
Leopard lily	<i>Belamcanda species</i>	Toxic if eaten, causing nausea and vomiting. May cause a skin allergy.
Leyland cypress	<i>Cupressocyparis leylandii</i>	Harmful if eaten in quantity. May cause a skin allergy.
Lily	<i>Lilium species</i>	Harmful if eaten in quantity.
Lily of the valley (leaves, flowers, roots)	<i>Convallaria species</i>	Toxic if eaten, causing nausea and vomiting.
Lily of the valley bush	<i>Pieris japonica</i>	
Lobelia	<i>Lobelia species</i>	Harmful if eaten in quantity. May cause a skin allergy.
Locust	<i>Robinia species</i>	Nausea and weakness
Lupin (leaves, seeds)	<i>Lupinus species</i>	Harmful if eaten in quantity.
Mallow	<i>Lavatera species</i>	Harmful if eaten in quantity.
Maple Tree	<i>Acer species</i>	
Marijuana	<i>Cannabis sativa</i>	Contains hallucinogens.
Marsh marigold	<i>Caltha palustris</i>	Harmful if eaten in quantity.
May apple (apples, roots, foliage)	<i>Podophyllum peltatum</i>	Severe diarrhoea. Nervous system affected.
Meadow rue	<i>Thalistrum delavayi</i>	Harmful if eaten in quantity.
Mezereon	<i>Daphne mezereum</i>	
Milkweed	<i>Ascepias syriaca</i>	Harmful if eaten in quantity. May cause a skin allergy.
Mistletoe (berries)	<i>Phoradendron flavescens</i>	Gastrointestinal tract affected. May cause dermatitis. If eaten by a puppy, a few berries can be fatal.
Monkshood	<i>Aconitum napellus</i>	Digestive upset and nervous excitement. Cardiovascular system affected.
Morning glory	<i>Ipomea species</i>	

(seeds, roots)		Harmful if eaten in quantity.
Moroccan broom	<i>Cytisus battandieri</i>	Harmful if eaten in quantity.
Mother-in-law's tongue (leaves)	<i>Dieffenbachia amaena</i>	Causes diarrhoea and oral irritation if eaten. May cause dermatitis. Tremors, seizures, loss of balance, asphyxiation. Can be fatal.
Mountain laurel	<i>Kalmia latifolia</i>	Harmful if eaten in quantity.
Naked ladies	<i>Colchium species</i>	Toxic if eaten, causing nausea and vomiting.
Narcissus	<i>Narcissus (bulbs)</i>	Nausea, vomiting, diarrhoea. May cause dermatitis. Can be fatal.
Needlepoint ivy (berries & leaves)		Gastrointestinal tract affected. May cause dermatitis.
Nerine	<i>Nerine bowdenii</i>	
Nightshades	<i>Solanum species</i>	Intense digestive disturbances. Can be fatal.
Oak tree (foliage & acorns)	<i>Quercus species</i>	Affects kidneys. Symptoms appear after several days.
Oleander	<i>Nerium oleander</i>	Affects the heart, produces severe digestive upset, extremely poisonous. May cause dermatitis. Can be fatal.
Onion	<i>Allium species</i>	Causes anemia. Onions should not be fed to dogs in any form.
Paspalum (seeds)	<i>Paspalum species</i>	Dermatitis
Pasque flower	<i>Pulsatilla vulgaris</i>	Harmful if eaten in quantity.
Peace lily	<i>Spathiphyllum species</i>	Gastrointestinal tract affected. May cause dermatitis.
Peach (stones & leaves)	<i>Prunus persica</i>	Contain cyanide.
Pencil cactus	<i>Opuntia leptocaulis</i>	
Peony (roots)	<i>Paeonia species</i>	
Peruvian lily	<i>Chlidanthus fragans</i>	Harmful if eaten in quantity. May cause a skin allergy.
Philodendron	<i>Philodendron species (leaves)</i>	Causes diarrhoea and oral irritation if eaten. May cause dermatitis.
Pineapple broom	<i>Cytisus battandieri</i>	Harmful if eaten in quantity.
Poinsettia (leaves, stems & sap)	<i>Euphorbia pulcherrima</i>	Diarrhea, abdominal cramps, delirium. Sap can cause irritation and if rubbed in eyes, blindness. May also cause dermatitis.
Poison hemlock	<i>Conium maculatum</i>	Nervous system affected. May cause dermatitis. Can be fatal.
Poison ivy (leaves, bark & fruit)	<i>Toxicodendron radicans</i>	Poisonous. Can cause severe blistering dermatitis if they come into contact with skin.
Poison oak (leaves, bark & fruit)	<i>Toxicodendron</i>	May cause dermatitis.
Poison sumac	<i>Toxicodendron vernix</i>	Poisonous. Can cause severe blistering dermatitis if they come into contact with skin.
Pokeroot	<i>Phytolacca americana</i>	Toxic if eaten, causing nausea and vomiting.

Pokeweed	<i>Phytolacca americana</i>	Toxic if eaten, causing nausea and vomiting.
Poppy (unripe seedpod)	<i>Papaver species</i>	Harmful if eaten in quantity.
Potato (green skin & sprouts)	<i>Solanum tuberosum</i>	
Prickly poppy	<i>Argemone mexicana</i>	Harmful if eaten in quantity.
Primrose (leaves)	<i>Primula vulgaris</i>	Upset stomach. May cause dermatitis.
Privet (leaves)	<i>Ligustrum species</i>	Harmful if eaten in quantity.
Ragwort	<i>Senecio species</i>	Causes kidney failure and liver damage which is irreversible. Minute doses fatal , often wrongly diagnosed.
Raisins		Causes kidney failure. Can be fatal.
Rape	<i>Brassicus napus</i>	Haemolytic anaemia, blindness, damage to nervous system, digestive disorders, breathing problems
Red-ink plant	<i>Phytolacca americana</i>	Toxic if eaten, causing nausea and vomiting.
Rhododendron	<i>Rhododendron species</i>	Nausea, vomiting, depression, difficulty breathing and coma. Can be fatal.
Rhubarb (leaves)	<i>Rheum species</i>	Large amounts of raw or cooked leaves can cause convulsions and coma. Can be fatal.
Rosebay	<i>Rhododendron aureum</i>	Toxic if eaten, causing nausea and vomiting.
Rose periwinkle	<i>Catharanthus roseus</i>	Harmful if eaten in quantity.
Rue	<i>Ruta graveolens</i>	Toxic if eaten, causing nausea and vomiting. May cause a skin allergy.
Sago palm	<i>Cycas revoluta</i>	Can be fatal
Savin	<i>Juniperus sabina</i>	Harmful if eaten in quantity.
Schefflera	<i>Brassaia actinophylla</i>	Harmful if eaten in quantity. May cause a skin allergy.
Silkweed	<i>Asclepias species</i>	Harmful if eaten in quantity.
Snowdrops	<i>Galanthus species</i>	
Solomon's seal	<i>Polygonatum</i>	Harmful if eaten in quantity.
Spider plant	<i>Chlorophytum species</i>	May cause vomiting and salivation.
Spruce Tree	<i>Picea species</i>	
Spurge	<i>Euphorbia species</i>	Harmful if eaten in quantity. May cause a skin allergy.
Squill	<i>Scilla species</i>	Harmful if eaten in quantity.
Star-of-Bethlehem (bulbs)	<i>Ornithogalum species</i>	Harmful if eaten in quantity.
Starflower	<i>Smilacina stellata</i>	Harmful if eaten in quantity.
St Johns Wort	<i>Hypericum perforatum</i>	Harmful if eaten in quantity.
String of pearls/beads	<i>Senecio rowleyanus or herreianus</i>	
Sweet pea (stem)	<i>Lathyrus</i>	

	<i>odoratus</i>	Harmful if eaten in quantity.
Swiss cheese plant	<i>Monstera deliciosa</i>	Causes diarrhoea and oral irritation if eaten. May cause dermatitis.
Taro vine	<i>Monstera deliciosa</i>	Causes diarrhoea and oral irritation if eaten. May cause dermatitis.
Tiger lily	<i>Lilium</i>	(Especially poisonous to cats)
Tobacco plant (leaves)	<i>Nicotiana</i>	Harmful if eaten in quantity.
Tobira	<i>Pittosporum tobira</i>	
Tomato plant (green fruit, stem & leaves)	<i>Lycopersicon lycopersicum</i>	
Tulip	<i>Tulipa species</i>	Harmful if eaten in quantity. May cause a skin allergy.
Umbrella plant	<i>Schlefflera species</i>	Toxic if eaten, causing vomiting, diarrhoea.
Varnish tree	<i>Toxicodendron vernicifluum</i>	Poisonous. Can cause severe blistering dermatitis if they come into contact with skin.
Walnut (green hull juice)	<i>Juglans nigra</i>	
Water hemlock	<i>Cicuta maculata</i>	Violent painful convulsions. Can be fatal.
Wax tree	<i>Toxicodendron succedaneum</i>	Poisonous. Can cause severe blistering dermatitis if they come into contact with skin.
Weeping fig	<i>Ficus species</i>	
Wild cherry tree (twigs & foliage)	<i>Prunus avium</i>	Gasping, excitement, prostration. Can be fatal.
Windflower	<i>Anemone species</i>	Harmful if eaten in quantity.
Wisteria (pods, seeds)	<i>Wisteria</i>	Nausea, repeated vomiting, stomach pains, severe diarrhoea, dehydration and collapse.
Wolfsbane	<i>Aconitum septentrionale</i>	Toxic if eaten, causing nausea and vomiting.
Woody nightshade		Toxic if eaten, causing nausea and vomiting.
Yarrow	<i>Achillea species</i>	
Yew (berries & foliage)	<i>Taxus species</i>	Dizziness, dry mouth and mydriasis develop within one hour, followed by abdominal cramping, salivation and vomiting. Foliage is more fatal than berries, death can be sudden without warning or symptoms. Can be fatal.

List of common potentially poisonous household and garden substances –as supplied by the VPIS (Veterinary Poisons Information Service)

Anticoagulant rodenticides

difenacoum
bromadiolone
brodifolone
coumatetralyl

Ibuprofen

Nurofen
Advil

Metaldehyde

Slug bait

Human oral contraceptives (very low toxicity)

Chocolate / theobromine

Diclofenac sodium (a similar drug to Ibuprofen)

Salbutamol

Ventalin inhalers

Alphachloralose rodenticides

Paraquat

Wallpaper paste (very low toxicity)

Borax / Boric acid ant killer gels

Bonemeal

Glyphosate based herbicides

Asprin

Cannabis

Batteries

Bendiocarb

powder ant killers

White spirit / barbecue lighter fluid

Antifreeze

Loperamide

anti-diarrhoea drugs

Bleach

Pyrethrin-based insecticides

Creosote

Temazepam

Dogs Trust is working towards the day when all dogs can enjoy a happy life, free from the threat of unnecessary destruction.

For more information about Dogs Trust, to become a member, or help us in our campaigns please call 01 8791000 or write to: Dogs Trust, Ashbourne Road, Finglas, Dublin 11.

www.dogstrust.ie

Registered Charity Number CHY16218

Dogs Trust © 2010. This site and its graphics are copyrighted. All rights reserved. You may print this factsheet for your own information and photocopy it if multiple copies are required. You may not sell it, reproduce it on the Internet, or reprint it in any publication without permission from Dogs Trust Legal Department